

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781

4045589/4037124/4035273

Fax : 24044532/4024068 /4023516



Kalpataru Point, 3rd & 4th floor,
Sion- Matunga Scheme Road No. 8,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E),
Mumbai : 400 022

Visit us at : <http://mpcb.gov.in>

By: RPAD/ Email

No. MPCB/PSO/BMW/B- 0008

Date: 30.01.2024

To,
M/ Mangala Multi Superspeciality Hospital
Agasti Road, Gardani,
Ahmednagar – 422601
e-Mail: samruddhikhadse@gmail.com

Sub: Show Cause Notice for refusal under the provision of Water (P & CP), Act, 1974 and Air (P & CP), 1981 for refusal of Consent & BMW authorization.

Ref: 1. Your Consent to Establish and BMW Authorization Application vide No. MPCB-CONSENT-0000174913 dated 25/10/2023.
2. This Office email dated 22/11/2023.
3. Minutes of 26th CC meeting held on 15/01/2024.

WHEREAS, Ministry of Environment and Forests, Govt. of India has notified, Water (Prevention and Control of Pollution), Act, 1974 for prevention and control of water pollution and the maintaining or restoring of wholesomeness of water and Air (Prevention and Control of Pollution), Act, 1981 for prevention, control and abatement of air pollution.

AND WHEREAS, Central Pollution Control Board on 04.06.2014 has issued Directions under section 18 (1) (b) of Water (Prevention and control of Pollution) Act, 1974 regarding classification of Industries into Red, Orange and Green in which Health Care Establishment are covered under the regime of Consent.

AND WHEREAS, Ministry of Environment and Forests, Govt. of India in exercise of the powers conferred u/s. 6,8 & 25 of Environment (Protection) Act, 1986 has notified the Bio-Medical Waste Management Rules, 2016, and amended Rules, 2018 which is subsequently amended from time to time.

AND WHEREAS, Maharashtra Pollution Control Board is the Prescribed Authority for the enforcement of Bio-Medical Waste Management Rules, 2016, as amended from time to time.

AND WHEREAS, it is also obligatory on the part of every occupier generating bio-medical waste to obtain Consent to Renewal and BMW authorization under Rule 8 of the said Rules, by making application in Form –I to the prescribed authority accompanied by a fee as prescribed by the State Government of Maharashtra.

AND WHEREAS, this office is in receipt of your Consent to Establish and BMW authorization application from SRO A'Nagar on 11/12/2023. This office called information through email dated 22/11/2023. However, you have not submitted the following required document for considering CCA as under,

1. CA certificate of CI.
2. Valid copy of BMW CTF Membership for 110 Beds.
3. Details of provision made for separate BMW storage area, along with Photographs of storage area.
4. Revised water budget considering Domestic water consumption and sewage generation from 110 beds and Water consumption for OT wash & Laboratory activity and effluent generation from the same.

:2:

5. The architecture certificate stating actual Total Plot Area & Build-up Area.
6. Bifurcated category & quantity of BMW considering 110 Beds as per schedule-I of BMWM Rules, 2016.
7. Details of STP w.r.t. capacity along with installation certificate.
8. Details of DG set w.r.t. capacity, fuel used, quantity of fuel & stack height.:
9. Additional cosent fee & penal fees if applicable.

AND WHEREAS, the application was discussed in 26th CC meeting held on 15/01/2023 and committee noted that you have not taken any efforts to submit the required documents, which finds it difficult to consider your application for CCA. Hence, it was decide to issue SCN for refusal to your application.

AND WHEREAS, this shows your negligent attitude towards implementation and management of Bio-Medical waste Management Rules, 2016.

AND THEREFORE, you are now directed to Show Cause as to why, your authorization should not be refused under Rule 10(2) of Bio-Medical Waste Management Rules, 2016, and refusal of consent under the provision of Water (P & CP), Act, 1974 and Air (P & CP), 1981 and also why further necessary legal action shall not be initiated under the provision of Environment (Protection) Act, 1986 against your facility.

Your Satisfactory reply with relevant documentary evidence, to the above point, shall reach this office within 7 days from receipt of this Notice, failing which the Board shall refuse the application without further opportunity and may initiate appropriate legal action against you, which please note.



(Dr. V. R. Thakur)
Principal Scientific Officer

Copy to:

- 1) Regional Officer, MPCB, Nashik: for information, please.
- 2) Sub Regional Officer, MPCB, A'Nagar: for information and shall communicate the hospital authority to ensure compliance within the stipulated period. You shall visit the hospital and submit site inspection report within 2 days.